



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/605,684

10/17/2003

James H. Murray

65,217-003

2683

27305

7590

09/11/2006

HOWARD & HOWARD ATTORNEYS, P.C.  
THE PINEHURST OFFICE CENTER, SUITE #101  
39400 WOODWARD AVENUE  
BLOOMFIELD HILLS, MI 48304-5151

EXAMINER

AUGUSTINE, NICHOLAS

ART UNIT

PAPER NUMBER

2193

DATE MAILED: 09/11/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

**Office Action Summary**

Application No.

10/605,684

Applicant(s)

MURRAY ET AL.

Examiner

Nicholas M. Augustine

Art Unit

2193

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 17 October 2003.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-39 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-39 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  
Paper No(s)/Mail Date ~~10/27/2003~~ 10/24/03
- 4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date. \_\_\_\_\_
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: \_\_\_\_\_

## DETAILED ACTION

### *Claim Rejections - 35 USC § 102*

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

2. Claim 1,6,17-24, 27,28,31-33 and 35-39 are rejected under 35 U.S.C. 102(b) as being anticipated by Wink Communications (<http://web.archive.org/web/20001206040800/wink.com/>).

As to independent claim 1, Wink teaches a method of retrieving information associated with an object present in a media stream (E Page 3), said method comprising the steps of: defining a user-selectable region in a layer separate from the media stream (E Page 6; Wink Studio) without accessing individual frames of the media stream (E Page 6, figures 1 and 2; in figure 1 the white-box in the development window is the space allotted for the media stream, while the graphics located in at the bottom of the development window are context and defined user-selectable regions whom which are present during the set duration of time of the media stream. Those skilled in the art will appreciate the fact that adding a set graphical area below/on top of the media stream will result in not having to access every frame individually for creation/edit purposes by the operator.)

Wink teaches the user- selectable region corresponding to the object present in the media stream (E Page 11; User is selecting object to order a video); defining a link to the information associated with the object (E Page 6, Wink Studio); linking the user-selectable region in the layer to the link for the information associated with the object (E Page 6; Wink Studio); positioning the user-selectable region in the layer over the object during playback of the media stream (E Page 6 and 11; Those skilled in the art will appreciate that a user selectable area created by the developer to be placed on top of the media stream has an clickable/responsive area associated with said user selectable area also known as a hotspot); disposing the layer adjacent the media stream without interfering with playback of the media stream (E Page 2, par. 2 and E Page 11 , fig.2; where the interactive content is displayed overtop of the media making it adjacent); playing the media stream in the player (E Page 10,Wink Engines (set-top box is making use of Wink protocols (E Page 5) to play media); playing the media stream in a player (Col. 3, lines 9-10); selecting the user-selectable region from within the layer during playback of the media (E Page 6 and E Page 11,fig.1); and accessing the information associated with the object in response to selecting the user-selectable region from within the layer (E Page 1, par. 2; selecting object will provide user with associated data and E Page 3).

As to independent claim 20, Wink teaches a method of providing a video signal from a provider to a user (E Page 10, Figure Diagram), said method comprising the steps of: transmitting a first component of the video signal having a media steam therein

Art Unit: 2193

(E Page 10, Wink Broadcast Server and Data Insertion); transmitting a second component of the video signal having a layer with user-selectable regions corresponding to objects present in the media stream and linked to information associated with the object (E Page 10, Wink Broadcast Server and Data Insertion); receiving the video signal with a player (E Page 10, Wink Engines (which is in a cable box designed to handle Wink application); disposing the layer adjacent the media stream without interfering with playback of the media stream (E Page 2, par. 2 and E Page 11, fig.2; where the interactive content is displayed overtop of the media making it adjacent); playing the media stream in the player (E Page 10, Wink Engines (set-top box is making use of Wink protocols (E Page 5) to play media); positioning the user-selectable regions within the layer to the objects present in the media stream during playback (E Page 6, Operator is able to position interactive regions for the user within the creation studio's current form); and enabling the user-selectable region to allow the user to select the user-selectable regions and access the informant associated with the object (E Page 6 and E Page 11, fig.1).

As to independent claim 24, Wink teaches a device for storing information associated with an object present in a media stream (E Page 10; Video Integration, where Networks add Wink into their broadcastings, it is at this location where their computers are storing information of interactive objects in media stream), said device comprising: a media stream with an object therein (E Page 3); information associated with said object (E Page 3); a layer for disposition adjacent said media stream during

Art Unit: 2193

playback and having a user-selectable region corresponding to said object in said media stream (E Page 2, par. 2 and E Page 11, fig.2; where the interactive content is displayed overtop of the media making it adjacent); and a link between said user-selectable region and said information associated with said object for accessing said information associated with said object in response to said user-selectable region being selected (E Page 2 and E Page 12).

As to independent claim 35, Wink teaches a system capable of storing (Wink Software and Video Integration) and retrieving (Response Network) information associated with an object present in a media stream provided with a video signal from a provider (E Page 10), said system comprising: an editor defining a user-selectable region corresponding to the object in the media stream without accessing individual frames of the media stream and defining a link between said user-selectable region and information associated with said object (E Page 6, figures 1 and 2; in figure 1 the white-box in the development window is the space allotted for the media stream, while the graphics located in at the bottom of the development window are context and defined user-selectable regions whom which are present during the set duration of time of the media stream. Those skilled in the art will appreciate the fact that adding a set graphical area below/on top of the media stream will result in not having to access every frame individually for creation/edit purposes by the operator.);

Wink teaches a player device for playing the media stream with the object therein (E Page 2, par. 2); and a layer disposed adjacent the media stream during playback and presenting the user-selectable region for selection by the user to access the information (E Page 2, par. 2 and E Page 11, fig.2; where the interactive content is displayed overtop of the media making it adjacent); playing the media stream in the player (E Page 10, Wink Engines (set-top box is making use of Wink protocols (E Page 5) to play media);

As to dependent claim 6, Wink teaches a method as set forth in claim 1, further including the step of displaying an icon that represents a user-selectable region present in the layer capable of being selected (E Page 1, paragraph 2 and E Page 3).

As to dependent claim 17, Wink teaches a method as set forth in claim 1, further including the step of establishing two-way communication between a user interacting with the layer and a provider transmitting a video signal having the media stream and the layer (E Page 3 and 11).

As to dependent claim 18, Wink teaches a method as set forth in claim 17, further including the step of collecting user data related to selection of links made during playback of the media stream present therein (E Page 9, paragraph 1).

As to dependent claim 19, Wink teaches a method as set forth in claim 18, further including the step of transmitting the user data to the provider to track the links selected from within the layer (E Page 9, paragraphs 2 and 4).

As to dependent claim 21, Wink teaches a method as set forth in claim 20, further including the step of establishing two-way communication between the user interacting with the layer and the provider transmitting the video signal (E Page 9, par. 1).

As to dependent claim 22, Wink teaches a method as set forth in claim 21, further including the step of collecting user data related to selection of links made during playback of the media stream (E Page 9, par. 2).

As to dependent claim 23, Wink teaches a method as set forth in claim 22, further including the step of transmitting the user data to the provider to track the links selected from within the layer (E Page 9, par. 4).

As dependent claim 27, Wink teaches a device as set forth in claim 24, further including an icon disposed in said layer in response to said user-selectable region being present in said layer (E Page 1, par. 2).



As to dependent claim 28, Wink teaches a device as set forth in claim 24, further including a detector (program) for monitoring and detecting an identifying characteristic for the object with said layer, whereas Murray does (Col. 2, lines 55-63).

As to dependent claim 31, Wink teaches a device as set forth in claim 24, further including a window for displaying information associated with the object (E Page 3 and 11).

As to dependent claim 32, Wink teaches a device as set forth in claim 31, wherein said window is further defined as being displayed in said layer (Wink Studio and Video Integration E Page 6 and 10; wherein the studio the operator creates the wink application, seen in figure 1 depicted a layer for video broadcasting and a layer for information.)

As to dependent claim 33, Wink teaches a device as set forth in claim 32, wherein said window is further defined as being displayed in said media stream (E Page 10).

As to dependent claim 36, a system as set forth in claim 35, wherein the layer is further defined as being transmitted as a component of the video signal (E Page 10; wherein the figure shows the flow of data/signals from the video integration to the wink engines).

As to dependent claim 37, a system as set forth in claim 35, wherein the layer disposed adjacent the media stream is further defined as being disposed adjacent the media stream without interfering with playback of the media stream (E Page 2, par. 2 and E Page 11, fig.2; where the interactive content is displayed overtop of the media making it adjacent); playing the media stream in the player (E Page 10, Wink Engines (set-top box is making use of Wink protocols (E Page 5) to play media).

As to dependent claim 38, a system as set forth in claim 35, further including a plurality of user-selectable regions in said layer corresponding to a plurality of objects (E Page 12, fig.1).

As to dependent claim 39, a system as set forth in claim 35, further including an icon disposed in said layer in response to said user-selectable region being present in said layer (E Page 1, par. 2).

***Claim Rejections - 35 USC § 103***

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. Claims 2-5,7-13,15,16,25,26,29,30 are rejected under 35 U.S.C. 103(a) as being unpatentable over Wink Communications

(<http://web.archive.org/web/19991012081750/http://wink.com/>) in view of Bove et al (Adding Hyperlinks to Digital Television).

Note: Wink and Bove provide systems, methods and teachings of interactive TV, where as the developers have an authoring tool/editor to add interactive content to the media stream to which will be broadcasted to the end-user. They both teach about user selectable objects upon which Bove goes into further depth of explaining how to track objects movements throughout a media stream and updating it accordingly with a link associated with present object's defined area/hotspot. It is appreciated by those skilled in the art that these two teachings are related by purposes set forth by a media stream having interactive hyperlinks associated with onscreen objects (graphical and video alike).

As to dependent claim 2, Wink fails to teach a method as set forth in claim 1 wherein the step of defining the user-selectable region is further defined as the step of defining positional data for the object based upon a position and size of the object present in the media stream, whereas Bove does teach (Page 3, par. 4-5) It is obvious to one of ordinary skill in the art at the time of the invention to have used the teachings of Wink into the teachings of Bove, because they solve the same problem of providing

interactive TV with hyperlinked data in a media stream presented in a graphical overlay (Page 2, par. 1).

As to dependent claim 3, Wink fails to teach a method as set forth in claim 1, further including the step of redefining the user-selectable region within the layer in response to the object changing within the media stream, whereas Bove does teach (Page 3, par. 5 and Page 4, par. 2). It is obvious to one of ordinary skill in the art at the time of the invention to have used the teachings of Wink into the teachings of Bove, because they solve the same problem of providing interactive TV with hyperlinked data in a media stream presented in a graphical overlay (Page 2, par. 1).

As to dependent claim 4, Wink fails to teach a method as set forth in claim 1, wherein the step of defining the user-selectable region further includes the step of defining a plurality of user-selectable regions for the object in response to the object being present in a plurality of positions in the media stream whereas Bove does teach (Page 3, par. 5 and Page 4, par. 2). It is obvious to one of ordinary skill in the art at the time of the invention to have used the teachings of Wink into the teachings of Bove, because they solve the same problem of providing interactive TV with hyperlinked data in a media stream presented in a graphical overlay (Page 2, par. 1).

As to dependent claim 5, Wink fails to teach a method as set forth in claim 1, wherein the step of positioning the user-selectable region is further defined as

synchronizing the user-selectable region within the layer to a position of the object in the media, whereas Bove does teach (Page 3, par. 3-4), Wink teaches without accessing individual frames of the media stream (E Page 6, figures 1 and 2; in figure 1 the white-box in the development window is the space allotted for the media stream, while the graphics located in at the bottom of the development window are context and defined user-selectable regions whom which are present during the set duration of time of the media stream. Those skilled in the art will appreciate the fact that adding a set graphical area below/on top of the media stream will result in not having to access every frame individually for creation/edit purposes by the operator. Also Bove teaches without accessing individual frames (Page. 3, par.4). It is obvious to one of ordinary skill in the art at the time of the invention to have used the teachings of Wink into the teachings of Bove, because they solve the same problem of providing interactive TV with hyperlinked data in a media stream presented in a graphical overlay (Page 2, par. 1).

As to dependent claim 7, Wink fails to teach a method as set forth in claim 1, further including the step of monitoring an identifying characteristic for the object in the media stream, whereas Bove does teach (Page 3, par. 4). It is obvious to one of ordinary skill in the art at the time of the invention to have used the teachings of Wink into the teachings of Bove, because they solve the same problem of providing interactive TV with hyperlinked data in a media stream presented in a graphical overlay (Page 2, par. 1).

As to dependent claim 8, Wink fails to teach a method as set forth in claim 1, wherein the step of monitoring the identifying characteristic is further defined as monitoring the media stream for a predetermined color palette, whereas Bove does teach (Page 3, par.6; collection of pixel's each having a set color defines an object which in turns makes up the color palette). It is obvious to one of ordinary skill in the art at the time of the invention to have used the teachings of Wink into the teachings of Bove, because they solve the same problem of providing interactive TV with hyperlinked data in a media stream presented in a graphical overlay (Page 2, par. 1).

As to dependent claim 9, Wink fails to teach a method as set forth in claim 7, wherein the step of monitoring the identifying characteristic is further defined as monitoring the media stream for a predetermined symbol, whereas Bove does teach (Page 4, par.6). It is obvious to one of ordinary skill in the art at the time of the invention to have used the teachings of Wink into the teachings of Bove, because they solve the same problem of providing interactive TV with hyperlinked data in a media stream presented in a graphical overlay (Page 2, par. 1).

As to dependent claim 10, Wink fails to teach a method as set forth in claim 7, further including the step of detecting a change in the identifying characteristic and re-defining the user-selectable region within the layer in response to detecting the change of the identifying characteristic, whereas Bove does teach (Page 3, last par. and Page 4, first par.). It is obvious to one of ordinary skill in the art at the time of the invention to

have used the teachings of Wink into the teachings of Bove, because they solve the same problem of providing interactive TV with hyperlinked data in a media stream presented in a graphical overlay (Page 2, par. 1).

As to dependent claim 11, Wink fails to teach a method as set forth in claim 10, wherein the step of detecting the change in the identifying characteristic is further defined as automatically detecting the change in the identifying characteristic for the object during playback of the media stream, whereas Bove does teach (Page 3, last par. and Page 4, first par.). It is obvious to one of ordinary skill in the art at the time of the invention to have used the teachings of Wink into the teachings of Bove, because they solve the same problem of providing interactive TV with hyperlinked data in a media stream presented in a graphical overlay (Page 2, par. 1).

As to dependent claim 12, Wink fails to teaches a method as set forth in claim 11, wherein the step of redefining the user-selectable region is further defined as automatically re-defining the user-selectable region within the layer in response to automatically detecting the change in the identifying characteristic for the object, whereas Bove does teach (Page 3, last par. and Page 4, first par.). It is obvious to one of ordinary skill in the art at the time of the invention to have used the teachings of Wink into the teachings of Bove, because they solve the same problem of providing interactive TV with hyperlinked data in a media stream presented in a graphical overlay (Page 2, par. 1).

As to dependent claim 13, Wink fails to teach a method as set forth in claim 1, further including the step-stopping playback of the media stream in response to selecting the user-selectable region from within the layer, whereas Bove does teach (Page 7, par. 2). It is obvious to one of ordinary skill in the art at the time of the invention to have used the teachings of Wink into the teachings of Bove, because they solve the same problem of providing interactive TV with hyperlinked data in a media stream presented in a graphical overlay (Page 2, par. 1).

As to dependent claim 15, Wink fails to teach a method as set forth in claim 1, further including the step of continuing playback of the media stream in response to selecting the user-selectable region from within the layer, whereas Bove does teach (Page 7, par. 1 and 2). It is obvious to one of ordinary skill in the art at the time of the invention to have used the teachings of Wink into the teachings of Bove, because they solve the same problem of providing interactive TV with hyperlinked data in a media stream presented in a graphical overlay (Page 2, par. 1).

As to dependent claim 16, Wink fails to teach a method as set forth in claim 15, further including the step of displaying the object information in at least one of the layer and a window separate from the layer while the playback of the media stream continues in the player, whereas Bove does teach (Page 4, par. 6; One of ordinary skill would appreciate that clicking on a an object relates to an action being performed from



Art Unit: 2193

the user and said action pulling up information from a URL on the World Wide Web and then having said information rendered to the screen that this information can be displayed in a native browser/window separate from the media stream). It is obvious to one of ordinary skill in the art at the time of the invention to have used the teachings of Wink into the teachings of Bove, because they solve the same problem of providing interactive TV with hyperlinked data in a media stream presented in a graphical overlay (Page 2, par. 1).

As to dependent claim 25, Wink fails to teach a device as set forth in claim 24, further including positional information defined for said user-selectable region based upon a position and size of said object present in said media stream, whereas Bove does teach (Page 3, par. 4-5). It is obvious to one of ordinary skill in the art at the time of the invention to have used the teachings of Wink into the teachings of Bove, because they solve the same problem of providing interactive TV with hyperlinked data in a media stream presented in a graphical overlay (Page 2, par. 1).

As to dependent claim 26, Wink fails to teach a device as set forth in claim 25, further including a plurality of user-selectable regions in said layer corresponding to a plurality of objects, whereas Bove does teach (Page 3, par. 5). It is obvious to one of ordinary skill in the art at the time of the invention to have used the teachings of Wink into the teachings of Bove, because they solve the same problem of providing

interactive TV with hyperlinked data in a media stream presented in a graphical overlay (Page 2, par. 1).

As to dependent claim 29, Wink fails to teach a device as set forth in claim 28, wherein said detector is further defined as detecting a color palette, whereas Bove does teach (Page 3, par. 4-5). It is obvious to one of ordinary skill in the art at the time of the invention to have used the teachings of Wink into the teachings of Bove, because they solve the same problem of providing interactive TV with hyperlinked data in a media stream presented in a graphical overlay (Page 2, par. 1).

As to dependent claim 30, Wink fails to teach a device as set forth in claim 28, wherein said detector (program), where as Bove does teach (Page 3, par. 4-5), Wink discloses an identifying feature being of further defined as detecting a predetermined symbol (E Page 3, fig. 1). It is obvious to one of ordinary skill in the art at the time of the invention to have used the teachings of Wink into the teachings of Bove, because they solve the same problem of providing interactive TV with hyperlinked data in a media stream presented in a graphical overlay (Page 2, par. 1).

5. Claim 14 and 34 are rejected under 35 U.S.C. 103(a) as being unpatentable over Wink Communications (<http://web.archive.org/web/20001206040800/wink.com/>) in view of Murray et al (US 6,636,237 B1) in further view of Wink Communications (Alt. Site)

<http://www.itvt.com/screenShotGallery/Intellocity & Wink Communications/page1.html>

Note: that the referenced extra site corresponds to the same software, methods and teachings as disclosed in the above primary reference. It is obvious to one of ordinary skill in the art to have combined Wink into Wink, because they are the same product.

As to dependent claim 14, Wink (Alt. Site) teaches a method as set forth in claim 13 further including the step of displaying the object information in at least one of the layer, the player, and a window separate from the layer and the player, while the playback of the media stream is stopped (Fig.1; ESPN portal page is being displayed from the interaction of the user clicking on the ESPN today selectable region on the layer which is adjacent to the media stream of a hockey game.)

As to dependent claim 34, Wink teaches a device as set forth in claim 31, wherein said window is further defined as a window separate from said layer and said media stream (Fig.1; ESPN portal page is being displayed from the interaction of the user clicking on the ESPN today selectable region on the layer which is adjacent to the media stream of a hockey game.)

***Conclusion***

- Swedlow, Tracy; Interactive TV Today – a division of jetPlanet; 1/22/2001; <http://www.itvt.com/etvwhitepaper.html>; talks about the past, present and future of Interactive TV.
- Liang-Jie Zhang et al; A Per-object-granularity Tracking Mechanism for Interactive TV Viewership Estimation and Program Rating 2002; IEEE- 200211435/02; discloses a developer's kit for adding user selectable regions to a media stream and tracking movement of objects inside of the media stream.
- IBM China Research Lab, IBM HotVideo, 1996;  
[http://domino.research.ibm.com/comm/research\\_people.nsf/pages/zhanglj8.projects.html](http://domino.research.ibm.com/comm/research_people.nsf/pages/zhanglj8.projects.html)

***Inquires***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Nicholas M. Augustine whose telephone number is 571-272-1056. The examiner can normally be reached on Monday - Thursday: 7:30- 5:00.


If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Chanh Nguyen can be reached on 571-272-7772. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.



N. Augustine  
8-28-06

Nicholas Augustine  
Examiner  
Art Unit 2193



CHANH D. NGUYEN  
SUPERVISORY PATENT EXAMINER